

SMART LIVING





















SMART SENSOR

Dismantable Front Ducting Panel For Easy Cleaning




Just WAVE to POWER ON /OFF and changing SPEEDS

TO DUCT OR RECIRCULATE?

Your hood should preferably be ducted outdoors to ensure extracted air is directed outside for optimal performance. However, this could be impractical sometimes.

Fortunately, most Morgan hoods feature a recirculating mode to direct air through the metal filter where grease is removed, and subsequently, a carbon filter to eliminate odours before directing back into the kitchen.

Although that this method will reduce extraction rate compared with ducted extraction, and the carbon odour filter will need replacement.



Heating Device Heats

Up Oil

Ducted Ventilation

- Extracts odours up to 98%
- Extracts steam
- Requires ducting system
- * It is recommended to leave a window ajar when operating the ducting system.

Oil Softens and is

Dissolved



wave of the hand will do!

Recirculated Ventilation

The future of kitchen innovation is now here! Morgan's Powerful Revolution Smart Series Hood with GESTURE CONTROL & AUTO HEAT CLEANING redefines the way you cook, and clean-up after cooking. No more oily or wet hands touching function buttons. Just a convenient

1800m³/hr POWERFUL SUCTION

Powerful airflow to efficiently remove the most unpleasant

odors, steam and grease.

%∐••• • • • ± €

- · Clean air filter eliminates cooking odours
- · Easy installation requires no ducting
- Requires separate recirculation kit



Oil Residues Flow Into Oil Cup

AUTO HEAT CLEANING

Morgan's innovative Auto Heat Cleaning Technology uses centrifugal force to heat up and dissolve oil residues in the air chamber and metal exhaust fan. Your kitchen hood stays clean for optimal performance.



Powerful Flame with **Heat Deflector**






for stronger flame





MORGAN OPTIFLEX series ensures powerful and heat concentrated flames with stable combustion to bring out the best flavours and cooking results. Just get its flexible cut-out dimensions to replace your old burner and experience the difference!



FITS EASILY INTO YOUR EXISTING COOKTOP SPACE

Recommended fitting dimensions (mm):

- MBH-622 OPTIFLEX: 635-735(W) x 350-421(D)
- MBH-SD625 OPTIFLEX: 640-730(W) x 360-410(D)
- MBH-SD635 OPTIFLEX: 635-820(W) x 350-460(D)



Burner Cap

Outer Burner

Burner Base

Safety Device



Burner

Sparker

Safety Device



DESIGNER HOOD

DESIGNER HOOD



DESIGNER HOOD

MDH-997MHC

- 1800m³/hr extraction capacity
- 3 Speed motor with Sensor Touch control Motion control and Touch control
- With Heat Auto-Cleaning Function
- With Metal blower
- LED light
- With rectangle oil cup
- With Charcoal filter With 1 minute delay timer function
- Dimension of ducting hole: Ø180mm
- 2 chimneys
- 3 meters double layer aluminium foil ducting hose
- With wall vents cap Ø180mm
- · 2 years warranty on motor

RM2149(WM) RM2279(EM)







Dismantable Front Ducting

Panel For Easy Cleaning

OR





DESIGNER HOOD

MDH-996MHC

- 1800m³/hr extraction capacity
- 3 Speed motor with Sensor Touch control Motion control and Touch control
- With Heat Auto-Cleaning Function
- With Metal blower
- LED light
- With oil cup With Charcoal filter
- With 1 minute delay off timer
- Dimension of ducting hole: Ø180mm
- 2 chimneys
- 3 meters double layer (aluminium + plastic) ducting hose
- 2 years warranty on motor

RM2149(WM) RM2279(EM)



OR



With wall vents cap Ø180mm

RRP: RM2568(WM) RM2718(EM)





DESIGNER HOOD

MDH-922OC

- 1200m³/hr extraction capacity
- 3 Speed motor with "Push Button" control
- Washable Stainless Steel Pyramid filter LED light
- With 5 minutes delay time
- With oil cup
- 2 meters aluminium hose
- Dimension of ducting hole : Ø150mm
- Recommended installation height from
- gas stove/hob: 650mm 750mm • 5 years warranty on motor

RM1079(WM) RM1139(EM)

RRP: RM1498(WM) RM1578(EM)







UPGRADE From **MBH-GC1122 ENDURE**





BUILT-IN HOB

MBH-GC1122

- Duplicast iron trivets



BUILT-IN HOB

Tempered glass 8mm

MBH-622 OPTIFLEX

Powerful flame – L/R: 4.3kW











RM440(EM)

MBH-SD635 OPTIFLEX Tempered glass 8mm Powerful flame – L/R: 5.0kW

ADD ON: RM430(WM)

0 0

ADD ON: RM40(WM) **RM40**(EM)

Powerful flame – L/R: 4.5kW

ADD ON: RM10(WM) **RM10**(EM)

BUILT-IN HOB

- Duplicast iron trivets
- With heat deflector
- With energy concentrator
- With safety valve · Flexible to fit in any cut out size
- RRP: RM849(WM) RM879(EM)



MBH-SD2112

- Tempered glass 8mm
- Duplicast iron trivets • 2 Burner caps (mm): 125 x 125
- Battery Ignition Easy to maintain and clean surface
- With Safety device RRP: RM459(WM) RM479(EM)



- 2 Burner stainless steel hob With safety valve
- Battery ignition Easy to clean surface

RRP: RM429(WM) RM449(EM)



HOOD / HOB SPECIFICATION



Innovative triple layer heat reflective

Keeps exterior oven door temperature

Prevents burns when touching the oven

INNOVATIVE CONVECTION **SYSTEM**

Morgan's innovative convection system delivers the ideal temperature and airflow. Enjoy different cooking styles made faster and more evenly with its different convection options.

ECO function saves energy in grilling mode. This method of cooking uses the top heating element, and is ideal for slow heating. The temperature rises slowly in oven heating so heat is fully penetrated into the food, reducing excessive energy and heat consumption.



CLASS A ENERGY EFFICIENCY

- For lower energy consumption & shorter cooking time.
- · Conforms to worldwide energy efficiency standards.











· Child-proof safety features.

cooler to the touch.

SYSTEM

coating:

door.

BIGGER CAPACITY, SAVE ENERGY & TIME

Our **70L** large oven gives more flexibility to cook larger quantities of food at once at your convenience.



BELL SYSTEM

















- - Max temp: 250°C
 - Oven Lamp: 1 x 25W With convection fan and Rotisserie • 3-layer removable door with viewing window
 - · 24 hours digital timer with alarm With LED display

BUILT-IN OVEN MBO-7680D Capacity: 70 Litres Power: 2300W

- Full black tempered glass
- 8 functions: Defrost, Top and bottom heating element, Rear heat with fan, Half Grill (top heating) element), Full grill with rotisserie, Convection fan with Full grill, Convection fan with bottom
- tray, 1 stainless steel oven rack, 1 rotisserie set, 1 set rack support

heating element and Energy saving grilling mode.

RM1549(WM) RM1629(EM) RRP: RM1719(WM) RM1799(EM)





MBH-SD625 OPTIFLEX



* MBH-SD635 OPTIFLEX

MBH-622 OPTIFLEX

Powerful Flame with





* Powerful Flame with

MBH-GC522C(BK) ROBUSTO



MBH-GC1122 ENDURE







MBH-SD2112



MBH-166SS



MBH-GC522C(BK) ROBUSTO

MBH-GC1122 ENDURE /

MBH-SD2112



FITS EASILY INTO YOUR

EXISTING COOKTOP SPACE

Recommended fitting dimensions (mm) MBH-622 OPTIFLEX: 635-735(W) x 350-421(D) MBH-SD625 OPTIFLEX: 640-730(W) x 360-410(D) MBH-SD635 OPTIFLEX: 635-820(W) x 350-460(D)




MBH-166SS



MBH-SD635 OPTIFLEX



















TOWER FAN

- Power: 50W
- Soft Touch Control panel
- Auto Left-Right Oscillation
- With Detachable Air Filter Net
- 3 Wind Modes: Normal, Natural and Sleep
- Slim, Compact, and elegant design.
- · Remote Control: Power, Oscillation, Speed Timer, Mode

RM289(WM) RM309(EM)



WALL FAN **MWF-NC168MS**

- Power rating: 45W
- Thermal safety fuse
- High Quality & Durable Motor Smooth Oscillation
- 3 Speed Mode

RM139(WM) RM159(EM) RRP: RM149(WM) RM169(EM)

CIRCULATION FAN

AIR COOLER





AIR COOLER

MAC-COOL7A

- Power: 90W
- Large water tank capacity: 35L
- Air flow: 3000m³/hr
- Suitable for room size up to 20-30m²
- 3-Sided Durable honeycomb filter for Max Cooling with dust proof cover . LED Display With touch Control
- Timer Setting Function Up to 12 Hours
- 2 Cooler Packs

RM609(WM) RM659(EM) RRP: RM669(WM) RM719(EM)

AIR COOLER

MAC-CX12

- Power: 65W
- Large water tank capacity: 12L
- Air flow: 1150m³/hr • Suitable for room size up to 20m²
- Durable Honeycomb Filter with Dust **Proof Cover**
- 4 Cooler Packs

RM299(WM) RM329(EM)

RRP: RM329(WM) RM359(EM)




ASSESSE

RESERVE

-

THE RESERVE *=====





AIR COOLER

MAC-CX10DW

- Power: 65W
- Large water tank capacity: 10L Air flow: 1100m³/hr
- Suitable for room size up to 15m² 20m²
- Durable Honeycomb filter with dust proof
- 3 in 1 Air Cooler / Air Purifier / Humidifier
- 2 cooler packs
- 3 speed selection (L/M/H) Removable water tank
- · With casters

RM229(WM) RM239(EM) RRP: RM249(WM) RM259(EM)






CIRCULATION FAN MFQ-D3RC

- Power: 105W
- Fan Blades: Ø8"
- Three Independent fan with 3 speed control
- Adjustable tilt position. Auto Oscillation for left and right.
- Manual Oscillation for up and down.
- Timer setting up to 7 hours
- With remote control · Easy dismantle for cleaning
- RM409(WM) RM439(EM)

RRP: RM449(WM) RM479(EM)



supply before disassembling the fan for cleaning. Remove the three screws from the back cover.



Twist the front cover to the left to



Twist the fan blade screw to the right and detach the fan blade. Proceed to







CIRCULATION FAN MFQ-SC61M



- Fan size: Ø265mm
- Fan blades size: Ø228mm
- Mechanical control
- Easy detachable front net cover for cleanin
- 4 setting speeds
- Left and right auto-oscillation angle up to 65

• Up and down auto-oscillation angle up to 85





VENTILATION FAN

- **MVF-CB12XW**
- Power rating: 30W
- Ceiling Mounted Type
- For Shop, Office Room, Living Room & Kitchen
- Elegant Design
- Energy Efficient
- Fan size: 120mm

RM89(WM) RM99(EM) RRP: RM99(WM) RM109(FM)



VENTILATION FAN MVF-CA12XS

- Power rating: 30W
- Ceiling Mounted Type For Shop, Office Room, Living Roo
- & Kitchen
- · Elegant Design
- Energy Efficient • Fan size: 120mm

RM89(WM) RM99(EM)

RRP: RM99(WM) RM109(FM)



VENTILATION FAN MVF-WA80

- Power rating: 30W Wall Mounted Type
- For Shop, Office Room, Living Roon & Kitchen
- **Energy Efficient** Powerful Motor
- Fan size: 200mm

RM69(WM) RM79(EM) RRP: RM79(WM) RM89(EM)

VENTILATION FAN MVF-WA100

- Power rating: 35W Wall Mounted Type
- For Shop, Office Room, Living Room & Kitchen
- Energy Efficient
- Powerful Motor
- Fan size: 250mm

RM79(WM) RM89(EM) RRP: RM89(WM) RM99(EM)

VENTILATION FAN MVF-WA120

- Power rating: 45W Wall Mounted Type
- For Shop, Office Room, Living Room & Kitchen
- Elegant Design
- Powerful Motor
- Fan size: 300mm

RM89(WM) RM99(EM) RRP: RM99(WM) RM109(EM)



CHILLER SHOWCASE







CHILLER SHOWCASE MCS-850D

- · Rated wattage: 410W
- Gross Capacity: 850L
- · Digital Thermostat
- 4 Casters (70mm) + 1 Adjustable Leveling Leg • Door Glass: Double Layer Tempered with Single
- Low-E film and Electric Heating (Electric Heating with ON/OFF function)
- With 2 Kev Lock 8 Coated Wire Rack
- With 3 vertical LED light
- Self-evaporation water tray
- Frost Free
- Temperature: from 1°C to 10°C. • Each shelf is able to hold up to: 25Kgs
- · Compressor 5 year warranty

RM4889(WM) RM5279(EM) RRP: RM5429(WM) RM5819(EM)

CHILLER SHOWCASE

MCS-299

- Rated wattage: 210W
- Gross Capacity: 240L Adjustable Thermostat
- Adjustable Leveling Leg
- · Double Glass Door (One with Tempered)
- With Key Lock 3 Coated Wire Rack
- Self-evaporation water tray
- Frost Free • Temperature: from 0°C to 10°C.
- Each shelf is able to hold up to: 20Kgs
- Compressor 5 year warranty

RM1739(WM) RM1899(EM) RRP: RM1929(WM) RM2089(EM)



- Adjustable Thermostat
- 4 Coated Wire Rack

RM2399(WM) RM2569(EM)

MCS-339

- Rated wattage: 220W
- Adjustable Leveling Leg
- Double Glass Door (One with Tempered)
- With Key Lock
- Self-evaporation water tray
- Temperature: from 0°C to 10°C.

Compressor 5 year warranty

RRP: RM2659(WM) RM2829(EM)



CHILLER SHOWCASE

- Frost Free



- Gross Capacity: 280L

- Each shelf is able to hold up to: 20Kgs

GLASS DOOR CHEST FREEZER MCF-G516L

Product Dimension(mm): 1630L x 650D x 866H

- Gross Capacity: 516L CFC Free
- Epoxy Inner
- With Key Lock
- · High Energy Efficiency Compressor
- Fridge or Freezer Adjustable Thermostat With 2 Baskets
- Fridge Temperature: 0°C to 10°C Freezer Temperature: -1°C to -18°C . Maximum fit up to 5 Baskets

RM2189(WM) RM2479(EM) RRP: RM2429(WM) RM2719(EM)

GLASS DOOR CHEST FREEZER

MCF-G456L Product Dimension(mm): 1434L x 651D x 800H

- Gross Capacity: 456L
- CFC Free Epoxy Inner
- With Key Lock
- High Energy Efficiency Compressor • Fridge or Freezer Adjustable Thermostat
- With 2 Baskets
- Fridge Temperature: 0°C to 10°C Freezer Temperature: -1°C to -18°C
- Maximum fit up to 4 Baskets

RM1969(WM) RM2209(EM) RRP: RM2179(WM) RM2419(EM)





CHILLER SHOWCASE

MCS-488

- Rated wattage: 330W Gross Capacity: 430L
- Frost Free
- Inner dimension(mm): 523W x 510D x 1565H
- Product dimension(mm): 606W x 665D x 2000H
- Temperature: 0°C to 10°C
- Each shelf is able to hold up to 36kgs

RM2879(WM) RM3129(EM)



CHILLER SHOWCASE

MCS-298

- Rated wattage: 240W
- Gross Capacity: 250L Frost Free
- Double tempered Glass Door With Key Lock
- Inner dimension
- Product dimension(mm): 545W x 580D x 1725H Temperature: 0°C to 10°C
- Self-evaporation water tray . Each shelf is able to hold up to 20kgs

RM1799(WM) RM1969(EM)

RRP: RM1999(WM) RM2169(EM)

GLASS DOOR CHEST FREEZER

GLASS DOOR CHEST FREEZER

MCF-G336L

- Product Dimension(mm): 1034L x 651D x 800H
- · Gross Capacity: 336L
- CFC Free Epoxy Inner
- With Key Lock
- High Energy Efficiency Compressor
- Fridge or Freezer Adjustable Thermostat With 2 Baskets
- Fridge Temperature: 0°C to 10°C Freezer Temperature: -1°C to -18°C

Maximum fit up to 3 Baskets



 CFC Free Epoxy Inner With Key Lock High Energy Efficiency

GLASS DOOR CHEST FREEZER

- Compressor Fridge or Freezer Adjustable Thermostat
- With 2 Baskets Fridge Temperature: 0°C to 10°C Freezer Temperature: -1°C to -18°C

 Maximum fit up to 2 Baskets RM1489(WM) RM1639(EM)

RRP: RM1649(WM) RM1799(EM)

CHEST FREEZER

MCF-7307L

Product Dimension(mm): 2030L x 725D x 910H

- Gross Capacity: 700L
- CFC Free • 2 Doors
- Durable Epoxy Inner
- Fridge or Freezer Adjustable thermostat
- Fridge Temperature: 2°C to 10°C • Freezer Temperature: -10°C to -20°C
- RM2899(WM) RM3329(EM) RRP: RM3219(WM) RM3649(EM)

CHEST FREEZER

MCF-6307L

Product Dimension(mm): 1800L x 760D x 827H

Durable

Epoxy

- Gross Capacity: 600L CFC Free
- 2 Doors
- Durable Epoxy Inner
- Fridge or Freezer Adjustable thermosta
- Fridge Temperature: 5°C to -3°C
- Freezer Temperature: -8°C to -24°C





MCF-5507L

Product Dimension(mm): 1600L x 765D x 826H

- Gross Capacity: 520L
- CFC Free
- Fridge or Freezer Adjustable thermostat
- Freezer Temperature: -8°C to -24°C

RRP: RM2489(WM) RM2789(EM)



- Freezer Temperature: -8°C to -24°C

RM1799(WM) RM2049(EM)

- Durable Epoxy Inner
- Fridge or Freezer Adjustable thermostat







MCF-1678LS**

Product Dimension(mm): 820L x 560D x 825H Gross Capacity: 175L

 CFC Free Durable Epoxy Inner

CHEST FREEZER

MCF-3507LS**

Gross Capacity: 303L

• Durable Epoxy Inner

• 2 Star Rating

CFC Free

Product Dimension(mm): 1100L x 680D x 826H

· Fridge or Freezer Adjustable thermostat

RM1279(WM) RM1469(EM)

RRP: RM1419(WM) RM1609(EM)

Fridge Temperature: 5°C to -3°C

Freezer Temperature: -8°C to -24°C

- Fridge or Freezer Adjustable thermostat • Fridge Temperature: 5°C to -3°C
- 2 Star Rating
- RM849(WM) RM949(EM)

RRP: RM939(WM) RM1039(EM)

CHEST FREEZER MCF-1178LS**

CHEST FREEZER

MCF-3007LS**

• Gross Capacity: 271L

• Durable Epoxy Inner

Product Dimension(mm): 955L x 675D x 830H

Fridge or Freezer Adjustable thermostation

• Fridge Temperature: 5°C to -3°C

• Freezer Temperature: -8°C to -24°C

Product Dimension(mm): 580L x 540D x 830H

- · Gross Capacity: 116L
- CFC Free Durable Epoxy Inner
- Fridge or Freezer Adjustable thermostat
- Fridge Temperature: 5°C to -3°C
- Freezer Temperature: -8°C to -24°C
- 2 Star Rating

RM669(WM) RM749(EM) RRP: RM739(WM) RM819(EM)



CHEST FREEZER MCF-0958LS*

Product Dimension(mm): 530L x 440D x 830H Gross Capacity: 80L

- CFC Free
- Durable Epoxy Inne
- Fridge or Freezer Adjustable thermosta • Fridge Temperature: 5°C to -3°C
- Freezer Temperature: -8°C to -24°C
- 2 Star Rating

RM619(WM) RM709(EM) RRP: RM679(WM) RM769(EM)









- 2 Doors
- Durable Epoxy Inner
- Fridge Temperature: 5°C to -3°C

RM2249(WM) RM2549(EM)

CHEST FREEZER MCF-4507L

Product Dimension(mm): 1440L x 680D x 826H

- Gross Capacity: 423L CFC Free
- Durable Epoxy Inner
- Fridge or Freezer Adjustable thermosta
- Fridge Temperature: 5°C to -3°C

RRP: RM1989(WM) RM2239(EM)



CHEST FREEZER MCF-2178LS**

Product Dimension(mm): 905L x 570D x 829H

- Gross Capacity: 210L
- CFC Free
- Fridge Temperature: 5°C to -3°C
- Freezer Temperature: -8°C to -24°C
- 2 Star Rating





• Frost Free & Auto Defrost Functions

• Fridge or Freezer Adjustable Thermostat

 Easy to Clean 5 Freezer Compartments External Easy-open Handle

 Stay Organized and Easy Access Super Energy Saving Multi Airflow Design Child Lock function

Compressor: 5 Years Warranty

Digital Touch Control Panel with LED display

• Fridge Temperature: $2^{\circ}C \leftrightarrow 3^{\circ}C \leftrightarrow 4^{\circ}C \leftrightarrow 5^{\circ}C \leftrightarrow$

• Freezer Temperature: -16°C↔-17°C↔-18°C↔

RM2839(WM) RM3079(EM)

RRP: RM3149(WM) RM3389(EM)

-19°C↔-20°C↔-21°C↔-22°C↔-23°C↔-24°C

CFC Free

• LED Light

6°C↔7°C↔8°C









CHEST FREEZER

Gross Capacity: 207L

. Deep and Quick Freezing

High Energy Efficiency Compressor

Fridge or Freezer Adjustable The

. Compressor: 5 Year Warranty

• Fridge Temperature: 2.2°C ~ -2.5°C

Freezer Temperature: -16°C ~ -27°C

RM969(WM) RM1089(EM)

RRP: RM1069(WM) RM1189(EM)

CFC Free

Epoxy Inner

With Key Lock

• Easy to Clean

• Coated Wire Basket

MCF-EVEREST 220

Product Dimension(mm): 823L x 556D x 835H

CHEST FREEZER

MCF-EVEREST 215

Product Dimension(mm): 635L x 556D x 835H

- Gross Capacity: 150L
- CFC Free
- Epoxy Inner
- · With Key Lock Deep and Quick Freezing
- High Energy Efficiency Compressor
- Easy to Clean
- Fridge or Freezer Adjustable The
- Coated Wire Basket
- Compressor: 5 Year Warranty
- Fridge Temperature: 3°C ~ -2°C
- Freezer Temperature: -19°C ~ -30°C

RM849(WM) RM939(EM) RRP: RM939(WM) RM1029(EM)

UPRIGHT FREEZER







Product Dimension(mm): 600L x 660D x 1850H Rated wattage: 130W Gross Capacity: 307L

UPRIGHT FREEZER

MUF-EC278L



UPRIGHT FREEZER MUF-EC208L

Product Dimension(mm): 540L x 600D x 1710H















ELECTRIC OVEN ELECTRIC OVEN

ELECTRIC OVEN

MEO-GLAMO 150RCSS

- Power: 2800W
- Capacity: 150L
- 8 function selector: OFF, Fermentation, Upper heating, Lower heating, Upper + Lower heating, Upper + Lower heating with Convection, Upper + Lower heating with Rotisserie and Upper + Lower heating with Convection + Rotisserie.
- With defrost function (at top temperature control knob)
- 70°C to 250°C adjustable temperature selector for various cooking
- 2pcs "M" shape Stainless steel heating elements
- Independent temperature control. (Top & bottom temperature can be adjusted separately.)
- 120 minutes switch off timer with ring.
- With inner oven lamp
- Accessories: 3pcs enamel baking tray, rotisserie set, rotisserie Basket, wire rack, crumb tray and tray handle

RM929(WM) RM1029(EM) RRP: RM1029(WM) RM1129(EM)







ELECTRIC OVEN

MEO-GLAMO 120RC

- Power: 2800W
- Capacity: 120L
- 8 function selector: OFF, Fermentation, Upper heating, Lower heating, Upper + Lower heating, Upper + Lower heating with Convection, Upper + Lower heating with Rotisserie and Upper + Lower heating with Convection + Rotisserie.
- With defrost function (at top temperature control knob)
- 70°C to 250°C adjustable temperature selector for various cooking functions
- 2pcs "M" shape Stainless steel heating elements
- Independent temperature control. (Top & bottom temperature can be adjusted separately.)
- 120 minutes switch off timer with ring.
- With inner oven lamp
- Accessories: Rotisserie set, wire rack, 2pcs enamel baking tray, crumb tray and tray handle.

RM739(WM) RM819(EM)

RRP: RM819(WM) RM899(EM)

ELECTRIC OVEN

MEO-GLAMO 100RC

- Power: 2800W
- Capacity: 100L
- 8 function selector: OFF, Fermentation, Upper heating, Lower heating, Upper + Lower heating, Upper + Lower heating with Convection, Upper + Lower heating with Rotisserie and Upper + Lower heating with Convection + Rotisserie.
- · With defrost function (at top temperature control knob)
- 70°C to 250°C adjustable temperature selector for various cooking functions
- 2pcs "M" shape Stainless steel heating elements
- Independent temperature control. (Top & bottom temperature can be adjusted separately.)
- 120 minutes switch off timer with ring.
- · With inner oven lamp
- Accessories: Rotisserie set, wire rack, 2pcs enamel baking tray, crumb tray and tray handle.

RM559(WM) RM629(EM)

RRP: RM619(WM) RM689(EM)



ELECTRIC OVEN

MEO-GLAMO 45RC

- Power: 1800W
- Capacity: 45L
- 6 function selectors: OFF, both upper & lower heating with convection, upper heating with convection, both upper & lower heating, upper heating with rotisserie and both upper & lower heating with convection rotisserie.
- 100°C 250°C adjustable temperature selector for various cooking functions
- Stainless steel heating elements
- · With Inner lamp
- 60 minutes timer with bell ring
- Accessories: 2 pcs enamel baking tray, rotisserie set, wire rack, crumb tray and tray handle.

RM319(WM) RM349(EM)

RRP: RM349(WM) RM379(EM)

ELECTRIC OVEN

MEO-GLAMO 30RC

- Power: 1500W
- Capacity: 30L
- 6 function selector: upper heating, lower heating, both upper & lower heating, upper heating with rotisserie, upper heating with convection and both upper & lower heating with convection
- 90°C-230°C adjustable temperature selector for various cooking functions
- Stainless steel heating elements
- With Inner lamp
- 60 minutes timer with bell ring and stay on function

0

Accessories: 2 pcs enamel baking tray, rotisserie set, wire rack, crumb tray and tray handle.

RM229(WM) RM249(EM)

RRP: RM249(WM) RM269(EM)



ELECTRIC OVEN MEO-GLAMO 23B

- Power: 1380W
- Capacity: 21L • 4 function selector: OFF, both upper & lower heating, upper heating and lower heating
- 60min Timer With Bell Ring
- Accessories: 2pc Baking tray, wire ack & tray handle
- 100°C-250°C Adjustable Temperature Selector for Various Cooking Functions
- Stianless Steel Heating Element

RM159(WM) RM179(EM)

RRP: RM169(WM) RM189(EM)



ELECTRIC OVEN MEO-HC26C

- Power: 1500W
- Capacity: 26 Liter
- 6 function selector: OFF, upper heating, lower heating, both upper & lower heating, upper heating with convection and both upper & lower heating with convection
- 100°C-250°C Adjustable Temperature Selector for Various Cooking Functions
- 60min Timer With Bell Ring
- Stianless Steel Heating Element
- With Indicator Light
- Accessories: 1pc Bake Tray, 1pc Wire Rack & Tray Handle

RM189(WM) RM209(EM)

RRP: RM209(WM) RM229(EM)









STAND MIXER

STAND MIXER MSM-NC300HM

 Power rating: 300W Capacity: 3.4L mixer bowl With automatic rotated bowl

RM119(WM) RM129(EM)

RCP: RM129(WM) RM139(EM)

MSM-NC400HM

• Capacity: 3.5L mixer bowl

• 5 speeds with turbo function

RM169(WM) **RM179**(EM)

Power rating: 400W





- Power rating: 1500W powerful motor, low noise
- 6.7L brushed stainless steel bowl Variable 8 stepless speed and pulse function
- RM1139(WM) RM1159(EM) RRP: RM1259(WM) RM1279(EM)







Convenient Ingredients Inlet





STAND MIXER

- Power rating: 1200W powerful motor
- 5.5L Stainless Steel Bowl
- Stepless speed and pulse function
- · Non-slipping rubber feet
- · Accessories: Whisk, Beater and Hool













- Power rating: 300W
- 6 speeds with Turbo function
- · With individual eject button · Accessories: 2pcs stainless steel beater,
- 2pcs dough hook and 1pc of whisk













- Power: 550W
- Capacity: 2.0LBS
- Non-stick rectangle bread pan kneading blade
- · Adjustable crust control: Light, Medium
- and Dark • Plastic body, LCD display
- 13-hour programmable delay function
- 10 minutes power off protection
- 60 minutes keep warm function

RM269(WM) **RM279**(EM)

RRP: RM299(WM) RM309(EM)



BREAD MAKER

MBM-DOU20

- Power: 550W
- · Capacity: 2.0LBS Non-stick rectangle bread pan &
- kneading blade
- Digital Display Panel
- 14 Pre-set Programme

Large Viewing Window

RM299(WM) RM309(EM) RRP: RM329(WM) RM339(EM)

CUPCAKE/ SANDWICH MAKER

3 IN 1 DETACHABLE SANDWICH MAKER

MDM-383

- Power rating: 750W
- With detachable Sandwich plate, Waffle plate and Nut plate (BAHULU Egg Sponge Cakes)
- Non-stick coated plate for easy cleaning
- · Automatic temperature control
- Horizontal & Vertical for compact storage and space saving
- With power and ready indicator light Anti-slip feet design
- Cool touch handle with lock
- · Cord storage

RM119(WM) **RM129**(EM)

RRP: RM129(WM) RM139(EM)









 2-Slice sandwich toasting plate Non-stick coated plate for easy cleaning Automatic temperature control High temperature for a perfectly toasted

· Horizontal & Vertical storage for space-saving Anti-slip feet design

SANDWICH MAKER

MSM-SC150NS

Power rating: 750W

- With power and ready indicator light
- Cool touch handle

RM62(WM) RM72(EM)

RRP: RM69(WM) RM79(EM)

INDUCTION/CERAMIC COOKER



Grill Plate or Pot

Ideal for Stainless Steel Ideal for Glassware











 Power rating: 2000W With stainless steel grill plate

RM179(WM) RM189(EM) RRP: RM199(WM) RM209(EM)





MIC-2520

- Power rating: 2000W
- 8 cooking functions selection: Hot pot, Fry, Stir fry,
- BBQ, Soup, Rice, Milk and Water.
- LED Screen Display Over-heat Protection System

RM159(WM) RM169(EM) RRP: RM169(WM) RM179(EM)





AIR FRYER

MAF-EROS 8

- Power: 1800W
- Capacity: 8.0L
- Temperature control 80°C-200°C
- With timer up to 60 minutes
- · Presets control with digital display
- With non-stick coating pot
 Transparent window for easy visual cooking
- With rapid air circulation system
- With sensor touch panel Overheat protection

RM449(WM) RM469(EM) RRP: RM499(WM) RM519(EM)





Ideal for Roasting





AIR FRYER **MAF-C707**

- Power: 1800W
- Capacity: 7.7L
- Temperature control 80°C-200°C
- With timer up to 30 minutes
- Ideal for Roasting, Grilling and Frying without oil
- With non-stick coating pot
- · Extra large capacity for various cooking needs
- With rapid air circulation system

RM329(WM) **RM349**(EM) RRP: RM359(WM) RM379(EM)



Frying without Oil



Ideal for Roasting



Ideal For Grilling



DIGITAL AIR FRYER

MAF-946D

- Power: 1300-1500W
- Capacity: 4.5L
- Adjustable Temperature Setting 80°C-200°C • Touch screen with 12 presets control panel
- LED digital display
- With timer up to 60 minutes
- FDA Safe Non-stick Coating Frying Pot and easy cleaning
- With Rapid Air Circulation Technology
- With safety cut-off switch when basket is pull out during operation.
- Automatic shut-off

RM269(WM) RM279(EM) RRP: RM289(WM) RM299(EM)











AIR-FRYER MAF-OPTIMAL 8

- Power: 1200W
- Capacity: 8.0L
- Removable inner pot with non-stick
- With rapid air circulation system
- Temperature control 80°C to 210°C With timer up to 99 minutes

RM449(WM) RM469(EM) RRP: RM499(WM) RM519(EM)













Removable Inner Pot





AIR FRYER MAF-C607

- Power: 1300W
- Capacity: 2.8L
- Temperature control 80° 200°C
- With timer up to 60 minutes
- · Removable pot with non-stick coating With rapid air circulation system
- Overheat protection and handle button cover

RM229(WM) RM239(EM) RCP: RM249(WM) RM259(FM)











PAN GRILL

MPG-DB899NS

- Power rating: 1600W
- Pot Capacity: 2.5L
- Grill plate and hot pot for versatile cooking functions Detachable hot pot and grill plate for easy cleaning
- · Cool touch base & handle
- . Two adjustable temperature control knobs (Hot pot and Grill plate)
- Anti-slip feet design Cord storage
- Dimension of grill plate (mm): 290L x 230D x 24H
- Dimension of hot pot (mm): Ø22 x 77H
- Dimension of product (mm): 541L x 251D x 220H

RM259(WM) RM279(EM) RRP: RM279(WM) RM299(EM)





Removable Grill Pan for Easy Cleaning



Control Panel

PAN GRILL MPG-2898

- Power rating: 1300W
- Detachable non-stick heating plate
- Oil free cooking for healthier meals





Drain Excess Oil

Ribbed Grill Plate To

Oil Drip Tray



Oil Drip Tray

PAN GRILL

- MPG-DA898NS
- Power rating: 1500-1800W
- Dual temperature control Oil free cooking for healthier meal







FOOD STEAMER

FOOD STEAMER

MFS-MC12L

Convenient refill

 Visible water level Overheating protection

60 minutes timer

Stainless steel housing

Stackable for easy storage

· Cord storage, anti-slip feet

 Rice steaming container (1.5L x 1) Removable tray for larger steaming compartment

3 levels structure to cook different foods

RM179(WM) RM189(EM)

RRP: RM189(WM) RM199(EM)

• Power: 1000W

• Capacity: 12L

Stackable for easy

Convenient Refill

FOOD STEAMER

- MFS-29 NUTRISTEAM (BK)
- Power: 1600W
- Capacity: 28L
- Come with double heaters • Rice steaming container and water refill cup
- Stackable steam tray for easy storage • Exterior water refill funnel with visible water
- level indicator · Anti-dry thermostat protection
- · 2 levels structure for convenient cooking
- 60 minutes timer with bell RM309(WM) RM329(EM) RRP: RM339(WM) RM359(EM)



Removable Tray for

Larger Steaming

Accessories

Individual Steaming Compartment



Removable Tray for Larger















FOOD PROCESSOR/CHOPPER

MCP-30P

- Power rating: 300W 4 stainless steel blades
- Multifunction peeler
- (to peel garlic and peanut)
- 1.2L capacity of glass bowl · 4D glass bowl design (allows the upper
- and lower blades to chop food evenly)
- With safety operation design User-friendly design
- RM109(WM) RM119(EM)

RRP: RM119(WM) RM129(EM)

GAS STOVE





RICE COOKER MRC-TC28

- Power rating: 1000W
- Capacity: 2.8L
 Micro switch control
- · With steam tray

RM139(WM) RM149(EM) RRP: RM149(WM) RM159(EM)



- Power rating: 700W
- Capacity: 1.8L
 Micro switch control
- With steam tray
- RM109(WM) RM119(EM)

RRP: RM119(WM) RM129(EM)



RICE COOKER MRC-TC10

- Power rating: 400W
- Capacity: 1.0L
 Micro switch control
- With steam tray

RM89(WM) **RM99**(EM) RRP: RM99(WM) RM109(EM)







RICE COOKER **MRC-TC06NS**

- Power rating: 350W
- Capacity: 0.6L
- Glass Lid Non-stick Coated Inner Pot
- · With Over-heating Protection
- Cook & auto keep warm function Accessories: rice scoop and measuring cup

RM79(WM) RM89(EM)

RRP: RM89(WM) RM99(EM)



RICE COOKER **MRC-TD618NS**

- Power rating: 700W Capacity: 1.8L
- Stainless steel lid
- Non-stick coated inner pot

RM109(WM) **RM119**(EM) RRP: RM119(WM) RM129(EM)

RICE COOKER **MRC-TD610NS**

- Power rating: 400W
- Capacity: 1.0L
- Stainless steel lid
- Non-stick coated inner pot

RM89(WM) RM99(EM) RRP: RM99(WM) RM109(EM)



- Power rating: 700W
- Capacity: 1.8L
- Non-stick coated inner pot
- With detachable steam vent
- With steam tray





Non-stick Coated Inner Pot















130mm x 130mm stainless steel burner head Powerful flame - L/R: 3.6kW

William Chillian

- Stainless steel top
- Double pipe
- Double 8 jets burner
- Piezo ignition

RM149(WM) RM159(EM) RRP: RM159(WM) RM169(EM)







MGS-7212S

DOUBLE GAS STOVE

DOUBLE GAS STOVE

Powerful flame – L/R: 2.8kW

• Enamel trivet for durability

 Stainless Steel Body Piezo ignition

• 120mm x 120mm Black brass burner head

· Glass top for elegant look & easy cleaning

High efficiency burner head for powerful


RM269(WM) **RM279**(EM) RRP: RM299(WM) RM309(EM)

MGS-8312G

- 120mm x 120mm stainless steel
- burner head Powerful flame - L/R: 3.1kW
- · Stainless steel top
- Double pipe
- Enamel trivet for durability
- Piezo ignition









COMMERCIAL RICE COOKER MCR-VAST 10

- Power rating: 2800W
- Capacity: 10L • Large control panel with 1 button easy operation
- Stainless steel large handle lid with holder for hung on the side of the pot
- Removable non-stick inner pot
- With overheat cut-off protection
- Max rice volume: 7.5kgs & min rice volume 2kgs; Max. up to 50 persons

RM439(WM) RM469(EM) RRP: RM479(WM) RM509(EM)



COMMERCIAL RICE COOKER

MCR-VAST 7

- Capacity: 6.6L
- Large control panel with 1 button easy operation
- Stainless steel large handle lid with holder for hung on the side of the pot
- Removable inner pot with non-stick coating
- With keep warm functions
- With overheat cut-off protection

RM279(WM) RM299(EM)

RRP: RM309(WM) RM329(EM)



Power rating: 2500W

- Max rice volume: 5kgs & min rice volume 1.6kgs; Max. up to

THERMO POT

MTP-350TS

• Screwless design lid

Capacity: 5L

Power rating: 1200-1428W

Stainless steel steam venting hole

· Unique base designed inner pot

THERMO POT & JUG KETTLE



THERMO POT

MTP-266TSS

- Power rating: 1200-1428W
- Capacity: 6.0L
- SUS304 Stainless steel inner pot
- With safety lock function • 5 Temperature control: 90°C, 80°C, 60°C,
- 40°C and Auto Cool
- · Stainless steel steam vent Screwless design lid
- Unique base designed inner pot

RM179(WM) RM189(EM)

RRP: RM199(WM) RM209(EM)





DOUBLE WALL JUG KETTLE

MJK-DW8218

- Rated wattage: 1850W
- Capacity: 1.8L
- SUS304 Stainless Steel Seamless Inner Pot For Easy Cleaning
- · Automatic Shut-off and Boil-dry Protection

Colour Steel Cool Touch Exterior

 ON/OFF Switch • 360° Rotating Base

RM109(WM) RM119(EM) RRP: RM119(WM) RM129(EM)

ON/OFF Switch with

Indicator Light



Stainless Steel Inner Pot

MJK-917

- Rated wattage: 1850-2200W
- Capacity: 1.7L
- Removable Filter For Easy Cleaning · Stainless Steel Heating Element
- ON/OFF Switch with Light Indicator

RM44(WM) RM54(EM) RRP: RM49(WM) RM59(EM)






COFFEE MAKER

MCM-NC12C

• Power rating: 1000W









- MTS-22A
- Power rating: 750W Auto bread centralizing feature
- · Wider slot for thicker breads With dust cover
- · With defrost, reheat, cancel functions & 7 levels of browning control.
- With crumb tray

RM62(WM) RM72(EM) RRP: RM69(WM) RM79(EM)



MINI BAR



MINI BAR

MMB-NC63(BK)

- Capacity: 50L
- CFC Free
- High Energy Efficiency Compressor
- Adjustable Thermostat
- Compressor: 5 Years Warranty • Product Dimension(mm): 470L x 445W x 488H

RM479(WM) RM519(EM)

RRP: RM529(WM) RM569(EM)

MINI BAR MMB-NC66(SL)


Capacity: 50L

- CFC Free
- · Adjustable thermostat
- Product Dimension(mm): 474L x 447D x 496aH









STICK VACUUM CLEANER

















Power Brush with Detachable & Washable Washable Fiber Filter



Cordless 3 In 1 Stick/Handheld Vacuum Cleaner

- **MVC-CHS198DB** • Power rating: 450W
- Dust capacity: 0.5L
- Digital screen
- Charging time: 5 Hours
- Suction pressure: ≥120AW
- Detachable and Rechargeable 2000mAh Lithium-Ion Battery
 25000PA (High speed) / 14000PA (Middle speed) / 9000PA (Low speed)
- LED Front Light Multi-tasker Power Brush with 180° Swivels sideways and 90° up and down for convenient handling in corners and around
- Operating time: 12 minutes (High speed), 25 minutes (Middle speed), 50 minutes (Lowspeed)
- Washable bagless dust container with cyclone stainless steel mesh filter
- Convenient and hygienic dust bucket emptying
 Three speed control for effective and thorough cleaning on various
- · Accessories: Mini turbo dust mite brush, 2 in 1 dusting brush, Crevice tool and Flexible hose.

RM749(WM) RM759(EM)

RRP: RM829(WM) RM839(EM)

VACUUM CLEANER





- Power rating: 1600W
- 23 Litre dust capacity
- 360° swivel head
- 3-in-1 wet, dry & blow cleaning function
- Washable filter with long-lasting material

RM309(WM) RM329(EM) RRP: RM339(WM) RM359(EM)









GARMENT STEAMER





- Power rating: 600W Max Suction 150W, Max Vacuum
- 16 -18.72kpa
- Capacity: 1.2L Noise level ≤73dB
- Upright and Handheld dual-usage
- With 2 stages filtering system Bagless design, simple dust disposal Detachable and extendable handle for
- different height level With 5 meter of power cord
- Compact size and easy storage
- Accessories: Dual function suction nozzle







Ellipse Brush Easily







- This Cyclone Filter come with separation technology of dust and dirt to result optimal performance of the vacuum.
- It uses the principle of cyclone separation to pull dust and dirt to the bottom of the dust cup
- without blocking its performance. This is washable Cyclone filter.

FULLY/SEMI AUTO WASHING MACHINE





















TUMBLE DRYER

Power rating: 1700W

Dryer type: Venting

 Delay timer: 1 – 12 hours • Front lint filter

• Child lock indicator and Error alarm.

 Electronic control LED display

Capacity: 7Kg

MTD-SENSDRY 8

16 drying programs: Extra Dry, Standard Dry, Mix Dry, Airing,

2.5 hours, 2 hours, 1.5hours, 1hour, 30 mins.

RM1039(WM) RM1129(EM)

Heat Setting: Full heating, Half heating and Airing.

Crease Guard (Anti-Crease function to reduce wrinkling.)

Iron Dry, Quilt, Towels, Shake the Quilt, Sportswear, Jeans, Fiber,







Hot Air Vent Hose









FULLY AUTO WASHING MACHINE MWM-7 ZIRCON Washing Capacity: 7.0Kg Spinning Capacity: 7.0Kg Washing power: 325W Spinning power: 250W Stainless Steel Drum Magic Cleaning Filter Foldable transparent lid Anti-Rat Base Design With Memory Back Up Function Powerful & Durable Motor for Efficient Washing With 8 program selection

FULLY AUTO WASHING MACHINE MWM-13 AQUAMARINE

- Washing Capacity: 13.0Kg Spinning Capacity: 13.0Kg
- Washing power: 410W
- Spinning power: 330W
- Stainless Steel Drum
- Magic Cleaning Filter
 Tempered Glass Transparent Lid
- With delay wash function
- Child Lock
- With Detergent drawer Compartment
- Fuzzy Control function Anti-Rat Base Design
- Powerful & Durable Motor for Efficient Washing
- With 9 program selection

RM1289(WM) RM1419(EM) RRP: RM1429(WM) RM1559(EM)

FRONT LOAD WASHER DRYER



















SEMI AUTO WASHING MACHINE

RM639(WM) RM759(EM)

RRP: RM709(WM) RM829(EM)

MWM-1310SA

Washing Capacity: 10.0Kg

Spinning Capacity: 6.5Kg

Washing power: 380W

Spinning power: 180WAnti-rat Base Design

· With Lint Filter

RM739(WM) **RM839**(EM) RRP: RM819(WM) RM919(EM)



MWM-1312SA

- Washing Capacity: 12.0Kg
- Spinning Capacity: 6.5Kg Washing power: 420W
- Spinning power: 180W
- Anti-rat Base Design With Lint Filter

RM749(WM) **RM889**(EM)







- MWM-1370SA Washing Capacity: 7.0Kg
- Spinning Capacity: 5.0Kg
- Washing power: 350W
- Spinning power: 160W
- Anti-rat Base Design
- With Lint Filter

RM489(WM) RM569(EM)





Exclusive Dealer:

- Offer valid while stocks last
- Prices shown are not valid for redemption project & duty-free sales
- We reserve the right to alter, modify or replace the product price, specifications & models without prior notice
- All items featured in this catalogue may differ from the actual product in terms of colour & design details
- The recommended resale price is the price which the importer recommends that the retailer sell the product. Retailers are able to independently set the retail price.
- *RRP = Recommended resale price





DKSH Malaysia Sdn Bhd 196101000441 (4476-U) B-11-01, The Ascent Paradigm, No. 1, Jalan S57/26A, Kelana Jaya, 47301 Petaling Jaya, Selangor Darul Ehsan. Tel: +603 7882 8888 Fax: +603 7882 5555 www.morgan.my

Customer Care Hotline: 03-7781 9229



facebook.com/morganappliances